PRELIMINARY REPORT AND INDEX

0F

NAVIGATION, DEPTH, MAGNETIC AND SUBBOTTOM PROFILER DATA

IGUANA EXPEDITION R/V E. B. SCRIPPS

Leg 1 San Diego - Acapulco (1 April 1972 to 7 April 1972)

Leg 2 Acapulco - Guayaquil (9 April 1972 to 17 April 1972)

Leg 3 Guayaquil - Punta Arenas (21 April 1972 to 30 April 1972)

Leg 4 Punta Arenas - Acapulco (2 May 1972 to 11 May 1972)

Leg 5 Acapulco - San Diego. (15 May 1972 to 22 May 1972)

Chief Scientist - G. G. Shor

Airgun Tech. - M. Barth

Resident Marine Tech. - W. E. Keith

Data Processed by - W. Keith, U. Albright, S. Smith, M. Henry

98 O. McConnell, I. Bustillos, J. Anfossi

Geological Data Center

T. E. Chase - Curator

S. M. Smith - Data Processing Coordinator Scripps Institution of Oceanography La Jolla, California


Contents:


- Index Chart gives track of cruise leg and boundaries of depth compilation plots (see below).
- Track Charts annotated with dates (day/month) and hour ticks. The scale (.3"/deg.

 long) is the same as the index charts of previous SIO cruises published
 as Report IMR TR-25.
- Profiles Depth and magnetic anomaly vs. distance. Dates (day/month) and positions of major course changes (greater than 30 degrees) are annotated. Sections of track having subbottom profiler (airgun) records have a solid black line along the bottom of the profile.


For information on the availability and reproduction costs of data in the following forms, contact T.E. Chase, Gurator, Geological Data Center, Scripps Institution of Oceanography, La Jolla, California 92037 (714-453-2000, ext. 1534):


- Navigation listing of times and positions of course and speed changes, fixes and drift velocity.
- 2. Depth compilation plots in fathoms (assumed sound velocity of 800 fm./sec.) at approximately 1 mile spacing, plotted at 4"/degree with standard U.S. Navy Oceanographic Office BC series boundaries (see index chart).
- 3. Plots of magnetic anomaly profiles along track-map scale = 1.2"/degree; anomaly scale between 15°N and 15°S latitude = 500 gamma/inch; anomaly scale north of 15°N and south of 15°S = 1000 gamma/inch) from values retrieved at approximately 1 mile spacing and regional field removed using the 1965 IGRF.
- 4. Card Decks of navigation, depth and magnetics (for specific formats, contact S.M. Smith, Geological Data Center).
- 5. S.I.O. Sample Index list of beginning and end times and positions of all underway records as well as all other samples (geology, biology, physical oceanography, etc.) collected on the cruise leg.
- 6. Microfilm or Xerox copies of:
 - a. Echosounder records 12 and 3.5 kHz frequency
 - b. Subbottom profiler records (airgun)
 - c. Magnetometer records
 - d. Underway Data Log






IGUANA LEG 3, track chart







IGUANA EXPEDITION

LEGS 1-5


R/V E.B. SCRIPPS


CHIEF SCIENTIST- G.G.SHOR


- Leg 1 San Diego Acapulco (I April 1972 to 7 April 1972).
- Acapulco Guayaquil (9 April 1972 to 17 April 1972) Leg 2
- Leg 3 Guayaquil - Punta Arenas (21 April 1972 to 30 April 1972)
- Punta Arenas Acapulco (2 May 1972 to 11 May 1972) Leg 4
- Leg 5 Acapulco - San Biego (15 May 1972 to 22 May 1972)


TOTAL MILEAGE


- 1) Cruise 7217.5 miles
- 2) Bathymetry 7070 miles3) Magnetics 6850 miles
- 4) Seismic Reflection 4540 miles





























É

LISTED 13 SEPTEMBER 1972

																																					٠					
	iguaoieb Iguaoieb	%)	16UA 01 EB	IGUAGIEB	I GUA OI ER	16040168	I CUA OI EB	TGUAOLER	2000	1 GUA 02 EB		10040255	100a020a	TOUR OZEB	93704051	22704007	16940228	1 GUA 02 EB	J GUA 03 EB	ICUA03EB	-	IGUA OBEB	000000000000000000000000000000000000000	TCHAOSER	TOURDSER	16UA 03 EB	TGUAGSFR	160A03EB	I GHA OGER	IGUAGGES	TGUACAFB	160404EB	IGUA 04EB	1641/104 68	16UA 04ER	ICHA 04 EB	IGUA 34EB		16UA 05EB	IGUA 05EB	IGUAOSEB	1 COA COES
785	សល									ı vı									W											S									n va			
LISTED	109W		ö	망	9	O.	뜽	₽.	•	36.12	ě	5	5	2	3 5	2 6	9	8	3614	485K		9 5	3 6	9 5	3 5	3 8	i c	99	4685	\$33K	Ö	S	OE	Ö	30	Ö	ö	. 2	200		88	
# # #	117	. •	0	O	a	٥	0	Ö	0	800	•	> (9	0 (3 4	3 (φ,	•	80	ž		0	3 (> <) C	9 0	· C	0	ď	66	C	C	٥	0	O	0	٥	6	711	0	0	3
LONG11-JDE	36 7N 48 7N		õ	S	Š	នី	73	3	747.8.7	3875	é	5 6	3	5	5 8	Š	5	ž	3875	5724	i	\$ 8	ž	Š	5 5	ទីខី	ä	Ē	5771	48:12	ä	õ	E	õ	ត	8	3	•	26 di	ä.		!
2 2 2	32		Q	0	٥	O	0	¢	4	? ⊳;	•	3 (5	9)	3 .6	3	0	Ŋ	Φ.		0	> <	9 0	9 0	0	c	9	0	10	C	0	0	0	0	Ç	٥	. ,	98	0	0	3
			X P	**	GRD	SRG	e E	X Z			i	E 4	S KD	(A)	2 4 7	 E :		<u>၂</u>				7. P.	3 0	4 4 7 0	2 6		2	500			ŭ,	GRD	SRG	SRC	d.	5. 30.	GDC			GRD	S 2 6	Z.
TIME ZOWES AND MINUTES OF LATITUDE AND IN TENTHS (E.G. 10.6 IS LISTED AS 106)	LGOL & SAN DIEGD, CAL. LGOL & ACAPULCO, NEX.	***	6.	4	# LI	M. SAR	ī.			35			1. F. KE	±	PEAT R. BUNGARD	ĸ.	D. MCGOHAR		GO3 & GUAYAQUIL, E	LGOS E PUNTARENAS, CTR.		G. G. SHOR	, ti	E o	2		ć	PE D' NELTOUNE	R DINTABENAS.	LGO4 E ACAPULCO, MEX.		. L.	M. BARIH	œ	*	Ġ		4	LGOS E SAN DIECO, CAL.	x	BONGARD	¢
T *** SION ***	1120 31 372 1958 7 472	*** PERSONNEL	0	Ö	0	000	0	0	7,000,376	1300 17 472	!	9	0	0	0 i	9	0	Ö,	715 21 47	1954 30 472		0) ()) (3 6	3 6	2 6		C R.7	1453 11 572	c	0	0	0	0		000		2365 15 572 2260 22 572	o c	0	.

*** 106 BOOKS ***

							•											
·. •	÷															-		
CRUISE LEG-SHIP	IGUAGLEB IGUAGSEG	1 GUA OI EB I GUA OSEB	IGUAOLEB IGUAOSEB	34)		CRUISE LEG-SHIP	IGUAOI EB IGUAOI EB	IGUADLEB IGUADLEB	I GUÁ OZ EB I GUA OZ EB	IGUA OZ EB I GUA OZ EB	IGUA OZ EB IGUA OZ EB	IGÚA OSEB I GUA USEB	16UA 03EB 16UA 03EB	1GUA03EB 1GUA03EB	ICUACSES IGUACAES	IGUAD4EB	16UA 04 E3 16UA 04 E3	IGUA O 4 E B I GUA O 4 E B
LONG.	117 109W 5	117 109W S	117 109W-S	1UH (EXT.15	•	LONG.	116 324W S 109 536W S	109 544H S 99 533H S	99 533# S	90 291H S 84 95H S	84 62W S 80 361H S	80 190% S	83 33 W 5	83 247W S 84 48H S	84 47W S	90 599W S	97 38W S	S MEES 66:
DISP CODE LAT.	GDC 32 367N GDC 32 367N	60C 32 367N 60C 32 367N	60C 32 367N 60C 3Z 357A	FLOOR AQUAR		DISP CODE LAT.	GDC 30 491N GDC 22 53-N	GDC 22 527N GDC 16 487N	GDC 16 487N GDC 7 217N	605 7 207N 605 1 67N	60C 1 27N 65C 2 387S	600 2 410S	600 1 58 600 4 255N	GDC 4 357N GDC 7 505N	000 7 519N	600 9 47N 600 13 186N	60C 13 184N 60C 15 765N	600 15 2 600 16 4
SEQ.		•		ASE 2ND		SEO.	, ^ pa pa	~~~	m m	**	in in	44	, h- h-	வ ஷ	• •	10		22
SAMPLE IDENT.	S SCIENTIFIC LOG	B U/W WATCH LOG E U/W WATCH LOG	B X81 LOG	CURATOR T.E. CHA	•	SAMPLE IDENT.	B GDR 12KHZ-ROLL E GDR 12KHZ-ROLL	8 GOR 12KHZ-ROLL E GOR 12KHZ-ROLL	GOR 12KHZ-ROLL	B GDR 12KHZ-ROLL E GDR 12KHZ-ROLL	B GOR 12KHZ-ROLL E GOR 12KHZ-ROLL	8 GDR 12KHZ-ROLL E GDR 12KHZ-ROLL	8 GOR 12KHZ-ROLL E GOR 12KHZ-ROLL	8 GDR 12KHZ-ROLL E GDR 12KHZ-KOLL	B GOR 12KHZ-RÜLL E GOR 12KHZ-ROLL	8 GDR 12KHZ-ROLLIG E GOR 12KHZ-ROLLIG	B GOR 12KHZ-ROLLII E GOR 12KHZ-ROLLII	B GUR 12KHZ-KOLL1 E GDR 12KHZ-ROLL1
E TZ SAMP C LOC CODE	3 3587 1882 1882	2 3587 8 3587	22	DERWAY DATA - (**	E TZ SAMP	DPRT B	DPAT 8	OPRT 8	OPAT B	DPAT A	DPAT E	DPAT I	DPRT 8	DPAT B	OPRT 6	DPRT B	DPRT (
TIME DATE TIME GMT D.M.Y. LOC	1120 31 372 2200 22 572	1120 31 372 2200 22 572	120 31 372 200 22 572	UNDER	**FATHDGRAKS	IME DATE TIME GMT D.M.Y. LOC	545 1 472 536 4 472	710 4 472 958 7 472	244 9 472	759 13 472 135 15 472	214 15 472 300 1:7 472	2125 21 472 1003 23 472	013 23 472 833 26 472	854 26 472 515 29 472	624 29 472 53 4 572	54 4 572 1515 1 572	517 7 572 549 11 572	5 1 572 45 1 572
; ;	H 0	-2	11			F-0 1	, m	17		217	Nime	NH	4		ñ	**	,,,	🎢

TIME 72 100 LOC	SAMP	į	SAMPLE	TE IDENT.		SEO.	P.1SP CCGE	[LAT	3	LDNG.	•	CRUISE LEG-SHIP
	DPRT	ं की ध	COR 1	12KHZ-ROLLI 12KHZ-ROLLI	113		500	90	NE ST	107	576H 12H	S	IGUAOSEB IGUAOSEB
	DPRT	uz us	COR 1 GOR 1	12KHZ-ROLL14 12KHZ-ROLL14		· 	2 203	90	194N 51 CN	107	*0 % CE.	vs vs	16UA 05E8 16UA 05E8
	DPRI	म्ब्रा स्था	COR 1	12KHZ-ROLL15 12KHZ-ROLL15	113		200	13 CF	512N 367N	2112	1,98W	so so	IGUAOSEB IGUAOSEB
2	2	按	REFLECTION PROFILES	*							٠		
2007 2007	SAMP	ł	SAMPLE	LE IDENT	. !	SE D.	0 15 P	ŧ	L.A.T.,	2	LONG.	_ !	CRUISE LEG-SHIP
20.50	SPRF SPRF	் கூடி	AIRGU	AIRGUN-RF-ROLL AIRGUN-RF-ROLL	- 11		200	50	402N 286N	35	26 BM 565W	us us	IGUAO1EB IGUAO4EB
SS	SPRF SPRF	EG LLF	AIRGU	AIRGUN-RF-ROLL AIRGUN-RF-ROLL	1 5 5 EE 5		900 900 900	o o	235M 109N	921	76.5% 1.9%	us us	16UA 04 EB 16UA 05 EB
R. P.	SPRS	40	A IR GU	airgun-as-aoll Airgun-as-aoll	==. ==:		200	40	109N	116	26 8¥	us us	TOUA OLEB
*													
12 SA 10C CO	SAMP	Ì	SAMPLE	LE IDENT		SE O.	D IS P CODE	إنسا	LAT.	3	LONG.	_	CRUISE LEG-SHIP
菱菱	MC N	ರ್ ಚ	MA GRE	ma chet –roll Ma gnet–roll	پ سر بادیر		999	33	42.98 57.98	116	2 99¥ 407¥	S	IGUA ÖLEB IGUA ÖZEB
X X	# # # # # # # # # # # # # # # # # # #	100 Miles	MA GNE	ka gne t–roll Ka gne t–roll	~ ~		300 300 300	3 9	57 LN	93	394H 592H	אי גע	1GUAO2EB 1GUAO3EB
žž	MGR	25 124	MA GNE MA GNE	na gnet-roll na gnet-roll	es es		200	52	242N 354N	109	7K 42.64	S	IGUA OSEB IGUA OSEB
XX	X CX	का मा	MA GNE	MA GNET-ROLL MA GNET-ROLL	44		၁၀၀	N 03	362N 205N	109	44.0W 52W	(2.03	igua oseb Igua oseb

.

*
ã
*
Š
드
Ξ
5
₹
EFRACTI
Ľ.
뿔
٠.
u
-
Œ.
S
<u></u>
いたいいかい
.1.

				٠			,	\$		٠						
							·									
CRUTSE LEG-SHIP	IGUADI EB IGUADI EB	16UA 01 EB 1CUA 01 EB	16UA03E8 16UA03EB	16U403EB 16U403EB	16UA 03 EB 16UA 03 EB	IGUA 03EB IGUA 03EB	IGUA04EB IGUA04EB	IGUAD4EB IGUA04EB	IGUÁ O4EB IGUA O4EB	IGUA 04 EB ÍGUA 04 EB	100404EB 160404EB	16U404E8 16UA04EB	***********		CRUISE LEG-SHIP	16UAO1E8 16UAO1E8 16UAO1E8 16UAO1E8
LONG	106 460W S 106 242W S	103 004# S 102 538# S	82 2084 S 83 294 S	83 364H S 62 332H S	83 256H S	S MOS 78	89 454W S	91 2W.S 91 159W S	91 6W S 92 355W S	95 128W S	96 583W S 97 261W S	5 M785 66 5 M795 66	135)		LONG.	1112 56 7W 5 1111 102% 5 108 24 8W 5 106 533W 5 106 533W 5
9 m	20 531N 20 651N	17 556N 17 553N	1 1175 1 95	0 2525 0 70N	4 230N 5 212N	0 131N 7 484N	9 214N 9 134N	8 582N 9 126N	8 555N 9 202N	11 569N 1	13 223N 12 581N	12 434N 13 377N	(E XT . 1			24 53 33 33 33 34 54 54 54 54 54 54 54 54 54 54 54 54 54
SEQ. DISP NUM. CODE	afn Afn	X X X X	X X	Z Z	A A A	A A	RAN	e RFR	RFR	3	X X	A A A	ROB INSON		SEQ. DISP NUM. CODE	88888888888888888888888888888888888888
IDENT.	51 51	522	3-1-1+2	2-1+2+3	3-1THRU8 3-1THRU8	4-1THRUS	4-51	25	5-17HRU10 5-17HUR10	61 61	7-1,2,3	8-1THRU11 8-1THRU11	OR MARGARET	٠	IDENT.	
SAMPLE	IGUA 2-	IGUA 2-	1611A 1602	IGUA 3-	16UA 3-	IGUA 3-	16UA 16UA	16UA 4-	IGUA 4-	15U4 4-	ISUA 4-	IGUA 4-	- CURATOR		SAMPLE	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
TZ SAMP LOC CODE	SRUR B SRUR E	SAUR 8	SRRV B SRRV E	SRRV B SRRV E	SRAN'B SRAN E	SRAN B	SRUR B SRUR E	SRUR B SRUR E	SRAN B	SRRV B	SRRV B SRRV E	SRAN S	BATHY THERMOGRAPHS	(APH ####	TZ SAMP LOC CODE	XXXXX AAAAA AAAAA AAAAA AAAAA
TIME LOC	. 22	N.V.	22	22	22	472	\$72 \$72	572 572	\$72 \$72	572 572	22	22	3ATHY THE	Bathythermograph	717E	412 412 412 412
DATE D.M.Y.	5 5 472	+ 6 472 7 472	3 22 472	3 23 472	3 26 472 1 28 472	28 29	ம் ம	44	4 0	9 1	5 7 572 4 8 572	8 8 572 1 10 572		ВАТНҮТ	DATE D.M.Y.	መ ፋ የ የ የ የ የ የ
TIME GMT	1945	2324 27	1448 942	1848	745	1922	1518 1930	201	958	2235 302	1406 154	1733		ት	TI WE	1720 626 626 1804

CRUISE LEG-SHIP.	GUA 02	<u> </u>	I GUA OZ EB	×	\approx	\simeq	\simeq	\sim	8	8	1 GHA OZ EB	2	8	2 2	2	: 2	3 .	3 8	8	I GUA 03 EB	Ω	2				8	8	1GUA 03EB	-	100000		3 6	3 6	1004000 1004000	5	16UA O4EB	č	ã.	ŏ	8	ž	Z	č	ž	ă	ã	ă	ă	ŏ	ŏ	Š	5	ä	Č	5	100 A CO A	0	ä	
	•		S					-	-																-																															4 i			
. ONG	. w	. •	213W	43	"		*	14	Œ1	•		uı			-	. 4	•	1			1 17	u		4 1	٠,		~~	**	-	•			•	•		•	_			(4)	ŗ.J.	t, j	4	'n	4	~	'n	E.)	~	2	'n	S	i in	•	- u		,	pr3	
	·	6	93	ç	6	<u></u>	6	6	8	8	5	83	æ	. 60	4	ā	9 4	ŏ	55	ф М	85	23	ď	20	ŝ	83		40	α	2 0	3 2		à																			,	-		٠,	٠,	•	_	
LAT.	NE/Z	4 C 3 N	271N	32 ON	416N	2000	W (+	4 98N	C. 1.34	254	334%	NG ST	F.3.	S 03N	20.00	100	400	200	725	5775	2323	3 G.7N	7 C		200	7. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	436N	25/25	2	777	10 to		2 :	2 7	2007	3403	22.22	Z (m.	5427	2. 	1.74 N	1 93N	255K	1968	之代に	5.00	56.1N	N5-5 K	となると	3092	41 ON		46.73	Z C 2 N		200	21 43	13.6%	•
CL U2	-	, m	2	,-4 ,-4	0	G	Φ	<u></u>	! ~	4	4	ĺψ	• 10	; 0		۰ د	بر ق	-		Ġ	0	*		**	+	*	*	4	4	- 4	3 4	a l	- (. (<u> </u>	Ġ.	G.	ده	5	0	Ç.	ķ	2	(**) 	~	2	2	()	m	r~e	7.6	, L-		4 6		7	(4)	
5.13 CO3	i 1	-	E 7.5	-	-	-	-	-	-	-	-	-	.	-		- -	- ¥	- 1	-	-	 -	-	٠.	• •	1	-	•	_		سز ه		. ,		- ;)		-	-	-		, ,	•	-	,	-	•	-)ee	3~	}	•	,			- }	→ }	- ,	}	
\$50. \$0%			٠																																			٠						·						٠	٠		•						
നമ്.	•																																																										
\$ *1#301									-																							•				•										•													
128301 3		10		. 21	£.	41	. 52	. 91		18	51	. 20		22	, m	7 4				. 22	28	5.5		3 -		32	w.	34	4	ž 42	7.0	- (2 ⁽	<u>ب</u>	. 5		27	43	44	S +	. 94		10.7	64	50		52		. 54	55	56	20	59		20.	~ ·	20	63	
IDEMI.	•		XBT 11	-	~*		***	, 4		***	اسه	N	١^	2 PV	'n	a r	40	4	N	~	6.7	2	ł K	9 6	J.	'n	m	m	•) tr	ì	4 (9 (u .	σ,	1	2	•	4	1	4	4		4	'n	ist.	ĸλ	w	w	e.	ŝ	r.	ı KO	. 4	Ç.	0	•	40	
AMPLE IDEMT.	XRT	XIII	-	XBT. 1	XOT 1	X81 1	XBT 1	Xer	XBT 1	X87 1	XBT	XBT 2	XRT	XET 2	- E - E - A		707	70-1	X 19X	XBT 2	XB1	XBT 2	, K	7 C	AD A	X61 3	XBT 3	X81 3	KRT 3	***	7 e	4 6	n c - p c - p c - p c	n - 65	\$ - D	XB+	XBT	XBT 4	X81 4	* _ 8X	X67 4	XET 4	XBT 4	X87 4	XBT S	XELS	XBI 5	XGT 5	XRT 5	XBT S	XBT 5	XBX	X87.5		- 122	70×	18%	XBT 6	
SAMPLE IDEMT.	XRT	XIII	181	XBT. 1	XOT 1	X81 1	XBT 1	Xer	XBT 1	X87 1	XBT	XBT 2	XRT	XET 2	- E - E - A		707	70-1	X 19X	XBT 2	XB1	XBT 2	, K	7 C	AD A	X61 3	XBT 3	X81 3	KRT 3	***	7 e	4 6	n c - p c -	9 - CK	T T X	XB+	XBT	XBT 4	X81 4	* _ 8X	X67 4	XUX 4	XBT 4	X87 4	XBT 5	XELS	XBI 5	XGT 5	XRT 5	XBT S	XBT 5	XBX	X87.5		- 122	70×	18%	XBT 6	
TIME IZ SAMP SAMPLE IDEMI.	RTX XRT	BIX XII I	BIX XBI 1	BIX XBT.1	BIX XBI	81x x81 1	BIX XBI	I TAX XPH	BIX XBI 1	BIX XBT 1	BTX XBT	BIX XBT 2	RTX XBT >	BIX XEI 2	0 10% X10	4 + Ct	7 107 7 10 0 C 10 C 10 C 10 C 10 C 10 C	2 104 Y 2	SIX XBI Z	SIX XBT 2	SIX XBI 2	BIX · XBT 2	t hay wha	7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	SIX ABI	BIX XEL 3	BIX XBI	BTX XBT 3	A TRA XTR	2 2 2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	7 104 210	4 - Q4 - 4 - Q4 - Q4 - Q4 - Q4 - Q4 - Q	7 - C - C - C - C - C - C - C - C - C -	0 - CK - R-C	TOX XIN	7 19X X19	BTX XBT. 4	TEX XEL 4	BIX XBI 4	# 18X X18	81X X61 4	BIX XBI 4	BIX XBI 4	4 18X XB1 4	BIX XBI 5	BIX XBI S	5 TAX XBT 5	STX XBI S	BTX XBT 5	S 18X X18	BTX XBT 5	BIX XBI 5	BTX X31	*****	0 - 22	O TOX XIN	9 18% ×18	BTX XBT 6	
TE TIME TZ SAMP SAMPLE IDEMT.	ZTS RTX XBT	472 BIX XBT 1	472 BTX XBT 1	472 BTX XBT 1	472 BIX XBI 1	472 BTX XBT 1	472 BIX XBI I	472 BIX XET 1	472 BIX XBT 1	472 BIX XBI 1	472 BTX XBT 1	472 BIX XBT 2	477 RTX XBT 2	472 BIX XET 2	C TRY NIR CTA	2 107 210 . 617	7 107 210 017 7 10 10 10 10 10 10 10 10 10 10 10 10 10	2 10 Y 10	472 BIX XBI Z	472 81X XBT 2	472 81X XBI 2	472 BIX XBT 2	ATO RIK YET A	0 H22 212 217	Aft DIA Abi 3	472 BIX XET 3	472 BIX XBI 3	472 81X XBT 3	E TAX XTR	1.1 1.10 1.10 1.10 1.10 1.10 1.10 1.10	7 104 710 717	4 107 Y 10 214	0 107 710 715 0 107 710 715	n max man unt	572 BIX XIII 9	572 BTX XBT 4	572 BTX XBT, 4	572 BTX XBT 4	572 BTX XBT 4	572 BTX X8T 4	572 BIX X8T 4	572 BIX XBI 4	572 BIX XBI 4	572 61X XB1 4	572 BIX XBI 5	572 BIX XBI 5	572 6TX XBI 5	572 8TX XBT 5	572 BTX XBT 5	572 ' BTX X3T 5	572 . BTX XBT 5	572 BIX XBI 5	572 BTX X81 5	1 + 6 2 2 5 6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	0 102 Y 10 210 210	572 81X X61 0	. 572 BTX XBT 6	572 BTX XBT 6	
Y. LOC LOC CODE SAMPLE IDEMT.	TAX XIA C17 B	10 472 BIX XHI 1	BIX XBI 1	11 472 BTX XBT-1	11 472 BTX XBT 1	12 472 STX XBT 1	12 472 BTX XBT 1	13 472 BTX XPT 1	13 472 BTX XBT 1	14 472 BIX XBT 1	14 472 BTX XBT 1	15 472 BIX XBT 2	15 477 RTX XRT 2	6 472 BIX XET 2	1 15% ALB 11. 227 71	2 102 210 . 217 71	10 1/4 Div Apr Apr A	2 10V VIQ 2/4 22	23 472 BIX XBI 2	23 472 BIX XBT 2	24 472 81X XBT 2	25 472 BIX XBT 2	25 470 PT 25 427 32	0 HOX 2 HO	CO 44C OIA ABI 3	26 472 BIX X61 3	27 472 BIX XBT 3	26 472 BTX XBT 3	S ATR YRT A	00 770 015 015 00 017 00 015 015 015 015 015 015 015 015 015	20 416 CT	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17 11 01 01 V VO P	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	5 272 XIS 572 5	3 572 BIX XBI 4	3 572 BIX XBT, 4	4 572 BIX XBI 4	4 572 BIX XBI 4	5 572 BIX X8I 4	5 572 BTX X6T 4	6 572 BIX XBI 4	6 572 BTX XBT 4	7 572 61X XB1 4	7 572 BIX XBI 5	B 572 BIX XBI 5	8 572 ETX XBT 5	9 572 8TX XBI 5	9 572 BTX XBT 5	10 572 ' BTX X8T 5	10 572 . BTX XBT S	16 572 BTX XBT 5	17 572 BTX X8T 5	1 + 62 2 2 6 4 6 4 6 4 6 4 6 4 6 4 6 4 6 4	17 7/2 614 ACT 0	13 572 813 615	18. 572 BTX XBT 6	19 572 BTX XBT 6	

END SAMPLE INDEX