at 200

2 hrs versus F F. 0.06

0.342

2 hr abs.

0.28 +10%

6 hr versus 2 hr

is 0.600

10 mgm per liter Trypsin

versus water

0.280

500 g/liter 2.5 -0%

in Chemotherap.

overnight collection

" "

Vestern 30 is about 3 times less dens.

than Sugar XX

(80)

" Microscopy " 2 dec

(Western 3)

$\frac{320}{2}$ Magnification

~~150~~

$\frac{30 \text{ times}}{100}$

150 dec.

$\frac{150}{100} =$

22

Effect of Carbon & Nitrogen source on mutation rate

Thom & Steinberg 1939 Proc. Nat. Acad Sci 25: 329-335

Steinberg & Thom 1940 " 26: 363-366

5% d-mannital + 0.2% NaO_3 no other C or N.

also ninhydrin, chloramine, KI, Hexamethylenemine

Steinberg & Thom 1942

Journ. agricult. Research 64: 645-652

Back mutation with

Lysine, Valine + Threonine


B/5
n
t/τ

12252
601





$$n^* = e^{g/b}$$

$$n^* = e^{g/a}$$

$$a = -(1+b)$$

protein synthesis slower than normal
down to $1/10$th of normal rate
mutants resistant to T_5 secreted



$\lambda = 2.5 \times 10^{-8}$ $\tau = 2$ hrs

$\lambda = 7.5$ " $\tau = 6$ hrs

$\lambda = 15$ " $\tau = 12$ hrs

$$\frac{\lambda}{\tau} = 1.25 \times 10^{-8} / \text{hr}$$

L'Avenir de la science — 21

La Culture des Tissus

Dr J. GAUTHERET

n r f

Gallimard

Ve édition

Rohm & Haas

East Kodak

National Aluminate Co

5 Dow Corning Midland
Dow Chemical Midland

Dupont

3/12

6000

3

30

3000

Oct 15

Dupont Nov. 15

70

J Exp't & cell Phys. Supplement

A.U. Smith Nature 170 (375) 1952 (Aug 30)

ref. Polge C & Rowson L E A Nature 169 626 (1952)

(wed cells) Sloman H A Nature 169 (1013) 1952

Smith A U & Parkes A S Lancet II 570 (1951)

Dr. Charles Fuchs. Emulsol Corp

St 2-8951 59 E Madison.

(2) Slow / Fast } Freezing of Emulsion

(1) Emulsicants that are non-toxic

(3) Ease of emulsification } effect on salts emulsifying

[cw is the time.]

Emulsion + water

How to get sperm in?

Egg yolk + veg oil

Mayonnaise

Aqueous

refined - mineral oil

di-ester of sebacic acid

isopropyl-monophosphate



Journal Cell & Comp Physio

QP1 J867

1) Avery O.T., MacLeod C.M & McCarty M Induction of transformation by a desoxyribonucleic acid fraction isolated from pneumococcus type III J exp med 79:137-58 1944

2. Boivin A. Directed mutations in colon bacilli, by an inducing ~~particle~~ principle of DNA nature, its meaning for the general biochemistry of heredity C S H Symp Quant Biol 12:7-17 1947

3 MacLeod CM & Krauss M.R. Stepwise intralype transformation of pneumococcus from R to S by way of a variant intermediate in capsular polysaccharide production J exp Med 86:439-53 1949

4) Taylor HE Additive effects of certain transforming agents from variants of pneumococcus J exp Med 89:399-424 1949

5) Austrian R & MacLeod CM Acquisition of M protein by pneumococci through transformation reactions J exp Med 89:451-60 1949

6) Alexander H.E. & Leidy G Det'n of inherited traits of H influenzae by DNA fractions isolated from type-specific cells J exp Med 93 345-59 1951

McCarty M & Avery OT. Studies on the chemical nature of the substance inducing transformation of pneumococcal types: an improved method for the isolation of the transforming substance & its application to pneumococcus types II III & VI J exp Med 83:97 10 & 1946

UNIVERSITY OF LONDON KING'S COLLEGE

LONDON W.C. 12 30 PM 29 APR 1952

BRITISH INDUSTRIES FAIR
5-16 MAY 1952
LONDON & BIRMINGHAM

POSTAGE REVENUE 1½d

Professor L. Szilard,
Dept of Biophysics,
University of Chicago,
Chicago, Ill
U.S.A