
Multiple Models Reveal New Genetic Links in Autism

For answers, researchers turned to mice, stem cells and the "tooth fairy"

November 12, 2014 | Scott LaFee

ith the help of mouse models, induced pluripotent stem cells (iPSCs) and the "tooth fairy," researchers at the University of California, San Diego School of Medicine have implicated a new gene in idiopathic or non-syndromic autism. The gene is associated with Rett syndrome, a syndromic form of autism, suggesting that different types of autism spectrum disorder (ASD) may share similar molecular pathways.

The findings are published in the Nov. 11, 2014 online issue of Molecular Psychiatry.



Alysson Muotri, PhD.

"I see this research as an example of what can be done for cases of non-syndromic autism, which lack a definitive group of identifying symptoms or characteristics," said principal investigator Alysson Muotri, PhD, associate professor in the UC San Diego departments of Pediatrics and Cellular and Molecular Medicine. "One can take advantage of genomics to map all mutant genes in the patient and then use their own iPSCs to measure the impact of these mutations in relevant cell types. Moreover, the study of brain cells derived from these iPSCs can reveal potential therapeutic drugs

tailored to the individual. It is the rise of personalized medicine for mental/neurological disorders."

But to effectively exploit iPSCs as a diagnostic tool, Muotri said researchers "need to compare neurons derived from hundreds or thousands of other autistic individuals." Enter the "Tooth Fairy Project," in which parents are encouraged TO register for a "Fairy Tooth Kit," which involves sending researchers like Muotri a discarded baby tooth from their autistic child. Scientists extract dental pulp cells from the tooth and differentiate them into iPSC-derived neurons for study.

"There is an interesting story behind every single tooth that arrives in the lab," said Muotri.

The latest findings, in fact, are the result of Muotri's first tooth fairy donor. He and colleagues identified a de novo or new disruption in one of the two copies of the TRPC6 gene in iPSC-derived neurons of a non-syndromic autistic child. They confirmed with mouse models that mutations in TRPC6 resulted in altered neuronal development, morphology and function. They also noted that the damaging effects of reduced TRPC6 could be rectified with a treatment of hyperforin, a TRPC6-specific agonist that acts by stimulating the functional TRPC6 in neurons, suggesting a potential drug therapy for some ASD patients.

The researchers also found that MeCP2 levels affect TRPC6 expression. Mutations in the gene MeCP2, which encodes for a protein vital to the normal function of nerve cells, cause Rett syndrome, revealing common pathways among ASD.

"Taken together, these findings suggest that TRPC6 is a novel predisposing gene for ASD that may act in a multiple-hit model," Muotri said. "This is the first study to use iPSC-derived human neurons to model non-syndromic ASD and illustrate the potential of modeling genetically complex sporadic diseases using such cells."

For more information on the Tooth Fairy Project, visit http://muotri.ucsd.edu 🗷

Co-authors include Karina Griesi-Oliveira, UCSD Department of Pediatrics, Rady Children's Hospital-San Diego and Universidade de Sao Paulo; Allan Acab, Thanathom Chailangkarn, Yanelli Nunez, Xiang Guoe and Gabriel Haddad, UCSD Department of Pediatrics and Rady Children's Hospital-San Diego; Abha R. Gupta, Yale University; Daniele Yumi Sunaga, Estavao Vadasz and Maria Rita Passos-Bueno, Universidade de Sao Paulo; Xavier Nicol and Nicholas Spitzer, UCSD Division of Biological Sciences and Kavli Institute for Brain and Mind; Michael F. Walker, John D. Murdoch, Stephan J. Sanders, Thomas V. Fernandez, Matthew W. State, Weizhen Ji and Richard P. Lifton, Yale University; Alexander Dietrich, Ludwig-Maximilians-Universitat Munchen; Dennis Pradhan, Hongjun Song and Guo-li Ming, Johns Hopkins University; and Maria C.N. Marchetto, Salk Institute for Biological Studies.

Funding support for this research came, in part, from the California Institute for Regenerative Medicine, the National Institutes of Health (grants 1-DP2-OD006495-01, T32 GM008666, NS047344, NS048271, HD069184, K08MH087639 and RC2MH089956), the Brain & Behavior Research Foundation, Fundacao de Amparo a Pesquisa do Estado de Sao Paulo and Conselho Nacional de Desenvolvimento Científico e Tecnologico.

Care	at	UC	San	Diego	Health
Syste	em				

Media Contact

Scott LaFee 858-249-0456 slafee@health.ucsd.edu

Share This Article











Related News

Measuring Mutations in Sperm May Reveal Risk for Autism in Future Children 12/23/2019

Study to Explore Whether Cannabis Compound Eases Severe Symptoms of Autism 4/26/2018

Researchers Studying Century-Old Drug in Potential New Approach to Autism 5/26/2017

Altered Cell Cycle Gene Activity Underlies Brain Overgrowth in **Autistic Toddlers** 12/14/2015

View All News >

Follow Us













