
## UC San Diego UC San Diego News Center

May 15, 2012 | By Scott LaFee

## Why Omega-3 Oils Help at the Cellular Level

Findings suggest possibility of boosting their health benefit



e macrophages

For the first time, researchers at the University of California, San Diego have peered inside a living mouse cell and mapped the processes that power the celebrated health benefits of omega-3 fatty acids. More profoundly, they say their findings suggest it may be possible to manipulate these processes to short-circuit inflammation before it begins, or at least help to resolve inflammation before it becomes detrimental.

The work is published in the May 14, 2012 online Early Edition of the *Proceedings of the National Academy of Sciences*.

The therapeutic benefits of omega-3 fatty acids, which are abundant in certain fish oils, have long been known, dating back to at least the 1950s, when cod liver oil was found to be effective in treating ailments like eczema and arthritis. In the 1980s, scientists reported that Eskimos eating a fish-rich diet enjoyed better coronary health than counterparts consuming mainland foods.

"There have been tons of epidemiological studies linking health benefits to omega-3 oils, but not a lot of deep science," said Edward A. Dennis, PhD, distinguished professor of pharmacology, chemistry and biochemistry. "This is the first comprehensive study of what fish oils actually do inside a cell."

The scientists fed mouse macrophages – a kind of white blood cell – three different kinds of fatty acid: eicosapentaenoic acid (EPA), docosahexaenoic acid (DHA) and arachidonic acid (AA). EPA and DHA are major polyunsaturated omega-3 fatty acids, essential to a broad range of

cellular and bodily functions, and the primary ingredient in commercial fish oil dietary supplements. AA is a polyunsaturated omega-6 fatty acid prevalent in the human diet.

In high levels, fatty acids are toxic, so cells typically sequester them as phospholipids in their membranes. When stimulated, however, the fatty acids may be released, provoking a cascading inflammatory response. Acute or limited inflammation is, of course, a vital immunological response to physical damage or invasive pathogens. But chronic inflammation is harmful and a common element of almost every disease, from diabetes to cancer.

After supplementing the mouse macrophages with fatty acids, the scientists stimulated them to produce an inflammatory response. They discovered that omega-3 fatty acids inhibit an enzyme called cyclooxygenase (COX), which produces the prostaglandin hormones that spark inflammation. The action is similar to what happens when one takes an aspirin, which disrupts the COX-2 signaling pathway, thus reducing inflammation and pain.

On the other hand, Dennis and co-author Paul C. Norris, a graduate student in the chemistry and biochemistry department and the molecular pharmacology training program, discovered that omega-3 oils do not inhibit another group of enzymes called lipoxygenases (LOX), which are also produced by stimulated macrophages. One type of generated LOX enzyme in turn produces fat-signaling molecules called leukotrienes, which are pro-inflammatory. But Norris noted that LOX enzymes may also generate anti-inflammatory compounds called resolvins from EPA and DHA.

These observations, he said, are also helpful in identifying potential adverse effects from taking fish oil. Since omega-3 fatty acids possess overlapping functions with COX inhibitor drugs, with well-known side effects, using both in combination can produce unexpected consequences.

It is this parsing of what's happening inside cells that Dennis called "ground-breaking."

"We've been able to look inside a cell, see what fish oils do and determine that the process of inflammation at this level may be manipulatable," he said. "Now, we need to learn if we can fine-tune that process so we can use omega-3 oils to reduce the production of proinflammatory prostaglandins and boost the production of anti-inflammatory resolvins."

Funding for this research came, in part, from the LIPID MAPS Large Scale Collaborative Grant U54 GM069338 (Jean Chin and Sarah Dunsmore, program officers) and Grant R01 GM64611 (Jean Chin, program officer) from the National Institutes of Health; and the UC San Diego Graduate Training Program in Cellular and Molecular Pharmacology National Institutes of Health Grant T32 GM007752.

UC San Diego's <u>Studio Ten 300</u> offers radio and television connections for media interviews with our faculty, which can be coordinated via <u>studio@ucsd.edu</u>. To connect with a UC San Diego faculty expert on relevant issues and trending news stories, visit <u>https://ucsdnews.ucsd.edu/media-resources/faculty-experts</u>.