

Cell Centered Database

University of California, San Diego


maryann@ncmir.ucsd.edu

Microscopy Product #:3339 datko_g4T4


For the most updated information, please visit

<http://ccdb.ucsd.edu/CCDBWebSite/main?event=displaySum&mpid=3339>


Image2D



Reconstruction



Segmentation



Project Information:

PROJECT_ID	P1207
PROJECT_NAME	Correlative microscopic characterization of dendritic spines in a transgenic mouse model of hyperdopaminergia: The dopamine transporter knockout mouse
PROJECT_DESCRIPTION	Multiscale characterization of DAT KO transgenic mouse
LEADER	Diana Price
FUNDING_AGENCY	NIH
PROJECT_START_DATE	2003-01-01 00:00:00.0
PROJECT_END_DATE	
COLLABORATORS	Aki Laakso, Michele Cyr, Maryann Martone , Naoko Yamada , Andrea Thor , Monica Berlanga
PUBLICATION1	
PUBLICATION2	
PUBLICATION3	

Experiment Information -	
PURPOSE	EMT reconstructions of medium spiny neuron dendrites
TITLE	P1207 Experiment 1
EXPERIMENTER	Diana Price, Masako Terada, Andrea Thor
EXPERIMENT_NAME	
EXPERIMENT_DATE	2003-01-09 00:00:00.0

Subject Information -	
GROUP_BY	genetic manipulation
SUBJECT_NAME	Dopamine Transporter (DAT) knockout
FIXATION_METHOD_ID	
SCIENTIFIC_NAME	mus musculus
SPECIES	mouse
STRAIN	C57BL/129SvJ
AGE	6 months
AGECLASS	adult
ANIMAL_NAME	
LITTER_ID	
SEX	male
VENDOR	
WEIGHT	27 grams

Tissue -	
ANATOMIC_LOCATION	neostriatum
MICROTOME	ultramicrotome
ORIENTATION	coronal
THICKNESS	4 um
TISSUE_PROD_STORAGE	P1207 Slide Box 1
EXTERNAL_FILE_NAME	NA
TISSUE_GROUP_TYPE	NA

Microscopy Product Information -	
MICROSCOPY_PRODUCT_ID	3339
IMAGE_BASENAME	datko_g4T4
CREATE_DATE	2003-12-22 00:00:00.0
INSTRUMENT	Hitachi 3MeV UHVEM
MICROSCOPE_TYPE	UHVEM
PLANE_COUNT	
PRODUCT_TYPE	single tilt tomography
PURL	
SESSION_NAME	
TELESCIENCE_SRB	P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339
X_RESOLUTION	.021 um/pixels
Y_RESOLUTION	.021 um/pixels
XSIZE	2689
YSIZE	4006

Protocol:

Experiment #1 DAT KO mouse 01/09/03

Description: Photoconverted dye-filled striatal medium spiny neurons for EM

Animal Info: ID# 980

Weight: 27g

DOB: 7/8/02

Protocol

1. Perfusion (at Duke)

Nembutal; 4% paraformaldehyde + 0.1% gluteraldehyde

2. Sectioned on Vibratome (at NCMIR)

Thickness = 100 microns

Store in 1X PBS in fridge

3. Fill cells with Lucifer yellow

4. Store slices with filled cells in 4% para in fridge

5. Wash 6x with PBS 1X (on ice)

6. When ready to begin photoconversion, turn on the chiller in confocal room. Set at $\sim 4^{\circ}\text{C}$. The refrigerator unit should be set at $\text{TEMP} < 45^{\circ}\text{C}$. Switch ON. Stage needs around 20 minutes to come to temperature. Pull unit out into hallway (to avoid increase in temperature).

6. Place slices in 2% glut/PBS on ice for 15 minutes

0.8 ml 25% gluteraldehyde

2 ml 5x PBS

6.2 ml ddH₂O

7. Briefly wash slices in PBS

8. Place slices in PBS/glycine for a few minutes

38 mg glycine

10 ml 1x PBS

9. Follow instructions for Photoconversion of Lucifer Yellow-filled cells

10. After photoconversion, remove DAB solution and wash slice 3x 10 minutes in generous volumes of PBS on ice. Must remove all DAB before beginning osmification.

Microwaving protocol for osmication, dehydration, and embedding of photoconverted slices

* Prepare Resin mix and let it sit covered and undisturbed until needed (instructions by fume hood in embedding area).

* Rinse slices with a generous amount of cold 1X PBS on ice for ~ 10 min.

* Turn on circulating bath (over 20°C , $\sim \text{RT}$): water bath (left hand side) will fill.

* Insert temperature probe

* Fill other T-beaker with water

* Set temperature to 35°C

* Open new bottle of 100% ethanol and prepare following dilutions:

90% ethanol

70% ethanol

50% ethanol

* Make up osmium solution under fume hood and chill on ice

* 1% osmium tetroxide in PBS on ice.

2.0 ml PBS 5X

then 5.5 2x distilled H₂O

2.5 ml Osmium 4%

* Rinse w/ 2x distilled H₂O ? 3 x 5min

* Warm up microwave for 2 minutes on high

* Label tubes & place in rack on ice

* Fill tubes with osmium solution (w/ meniscus at 0.5)

* Using glass hooks, transfer slices to tubes

* Remove temperature probe & set temp above 50°C.

* Put rack w. tubes in for 40 sec at full power

* Change rear water load in T-beaker

* Change osmium solution on ice and microwave for another 40 seconds at full power

* Rinse samples for 2 minutes in distilled water on benchtop (at RT)

* Insert petri bath with H₂O under rack

* Dehydration steps (2 x 40 seconds per step; all @ 35°C)

1st

2nd

50% EtOH

70% EtOH

90% EtOH

100% EtOH

100% Acetone

* All of the dehydration steps should be carried out in microcentrifuge tubes filled with 600 ml of solution. Temperature probe should be in petri dish and set for 35. Change water in rear water load when warm to touch.

* Change from water to acetone in petri bath under rack ? check acetone bath level every 3 minutes

* Infiltration steps (both @ 50°C):

With a 50/50 mixture of resin and acetone:

1 x 15 min

1:1 Resin:acetone

* Check rear water load at 7.5 minutes

Switch to 100% resin for 3 x 10 minutes:

1st

2nd

3rd

100% Resin

*Periodically check rear water load

* Flat embed samples between mould release slides and place in embedding oven under vacuum.

Image Type -	
SINGLE_TILT_IMAGE_SEQ_ID	6120
SINGLET_DESC	Spiny Dendrite Tomo
THROUGH_FOCUS_SERIES_ID	6025
ZSTEP	.54microns
THROUGH_PSFFILE	datkoq
THROUGH_DESC	transmitted light z series through photoconverted medium spiny dendrite
SINGLE_TILT_IMAGE_SEQ_ID	6120
SINGLET_DESC	Spiny Dendrite Tomo

Specimen Description -	
ANATOMICAL_DETAIL	6050
ATLAS	Paxinos and Franklin
ATLAS_COORD	-3.375, 1.375, .62
CELL_ID	datkoq_cellb

Specimen Description -


CELL_TYPE	medium spiny neuron
MAP_LOCATION	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/DATKOQ_atlasplate26.jpg
ORGAN	brain
REGION	neostriatum
STRUCTURE	spiny dendrite
SYSTEM	central nervous
TISSUE	striatum

Electron Microscopy Product -

EM_PRODUCT_ID	6154
ACCELERATING_VOLTAGE	3 MeV
EMBEDDING_MEDIUM	resin
MAGNIFICATION	3000
RECORDING_MEDIUM	film

Raw 2D Image


Raw Low Resolution 2D Image -



Raw 2D Image -	
IMAGE2D_ID	6137
IMAGE_DATE	2004-01-21 00:00:00.0
IMAGE_DESC	Tar file containing IMOD files (datko_g4T4.com/.log/.st/.preali/.fid/.rawflt) used for the alignment and the original tiff images (in the TIFF folder in the format datkoc_g4T4000.tif.gz)
IMAGE_FILE_FORMAT	imod mrc
IMAGE_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_img.jpg
MAGNIFICATION	3000 X
RAW_ANIMATION_DESC	Animation of aligned electron microscopic tilt series of a selectively-stained spiny dendrite from a medium spiny neuron contained in a 4 um thick section from a dopamine transporter knock out mouse, imaged using ultra high voltage electron microscopy. Tilt series was obtained at 2 degree increments through +/- 70 degrees of tilt.
RAW_ANIMATION_FILE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_raw.mpg
RAW_DATA_FILE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_image.tar
THUMBNAIL_DESC	Electron micrograph of a selectively-stained spiny dendrite from a medium spiny neuron contained in a 4 um thick section from a dopamine transporter knock out mouse, imaged using ultra high voltage electron microscopy.
THUMBNAIL_FILE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_img.jpg
X_SIZE	1024 pixels
Y_SIZE	1024 pixels

Reconstruction


Reconstruction Image -



Reconstruction -	
RECONSTRUCTION3D_ID	6119
ALIGNMENT_METHOD	Imod
ALIGNMENT_PROGRAM	IMOD
CROPPING_COORDINATE1	,
CROPPING_COORDINATE2	,
FIDUCIAL_MARK_FILE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4.fid
IMAGE_MAP_FILE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/3339_grid.tif
RECON_ALGORITHM	R-weighted back projection
RECON_DATE	2004-01-21 00:00:00.0
RECON_DESC	Tar file containing the IMOD .rec format (datko_g4T4_full.rec) for the volume reconstruction and Amira .am/.hx format image stack of the labels used (datko_g4T4_full-labels.am, datko_g4T4.hx).
RECON_PROGRAM	IMOD
RECON_TYPE	single tilt electron tomography
VOLUME_DIMENSION	571, 1024, 156
VOLUME_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_vol.tar
VOXEL_SCALE	, ,
RECONSTRUCTION_IMAGES_ID	6119
RECON_IMAGE_DESC	Single computed slice through a tomographic reconstruction of a selectively-stained spiny dendrite from a medium spiny neuron contained in a 4 um thick section from the neostriatum of a dopamine transporter knock out mouse.
RECON_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_vol.jpg
VOLUME_THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_vol.jpg
ANIMATION_FILE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_rotmovie.qt
ANIMATION_FILE_FORMAT	Quicktime
ANIMATION_DESC	A .qt movie of a maximum intensity projection from a spiny dendrite volume reconstruction.

Segmentation

Segmentation Image -



Segmentation -	
SEGMENTED_OBJECT_ID	6634
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6635
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6665
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6631
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6672
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6677
ANALYSIS_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/segmented_object_input_template_datko_g4T4.xls
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6659
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6656
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6637
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6657
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6649
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6675
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6643
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6670
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6658
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6676
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6633
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6653
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6660
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6671
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6673
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6628
ANALYSIS_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/segmented_object_input_template_datko_g4T4.xls
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6629
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6630
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6650
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6651
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6632
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6652
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6642
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6663
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6644
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6664
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6645
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6666
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6646
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6636
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6647
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6638
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6648
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6639
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6661
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6640
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6662
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6641
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6667
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6674
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6668
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6669
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6654
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

Segmentation -	
SEGMENTED_OBJECT_ID	6655
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
ANALYZE_DESC	Volume, surface area and lengths for shaft and individual spines. Partial dendrites are noted with a "p" in their object names. Subsequently, their measurements are not taken.
DISPLAY_IMAGE_DESC	Rendering of a spiny dendrite from the neostriatum of a dopamine transporter knock out mouse reconstructed using electron tomography. The individual dendritic spines and the dendritic shaft were segmented from the volume using simple image processing techniques.
DOWNLOADABLE_FILE_DESC	a .tar file containing the .obj file generated by Analyze AVW (datko_g4T4.obj) along with the segmented volume in Analyze 7.5 format (datko_g4T4_mor.hdr/img).
IS_MANUAL	N
LABELING_RANK	none
NUMBER_OF_OBJECT	0
SEGMENTED_OBJ_2D_IMAGE	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.jpg
SEGMENT_PERSON_NAME	Masako Terada
SEG_ALGORITHM	simple threshold
SEG_DESC	Segmentation of individual dendritic spines and shaft in Analyze .obj format. Spines were segmented using simple thresholding and morphological operations.
SEG_FILE_NAME	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_seg.tar
THUMBNAIL	/telescience/home/CCDB_DATA_USER.portal/P1207/Experiment_20/Subject_20/Tissue_25/Microscopy_3339/datko_g4T4_thumb_seg.jpg

USER AGREEMENT

Data Sharing and Citation Policy: The mission of the CCDB is to promote data sharing among scientists interested in cellular and subcellular anatomy and in developing computer algorithms for 3D reconstruction and modeling of such data. Data sets may be viewed or shared at the discretion of the author of the data. In some cases, the data may be freely viewed and downloaded without contacting the original author while in other cases, permission of the author may have to be obtained prior to downloading the data. In either case, failure to cite or give proper credit to the original authors who collected these data in subsequent published articles or presentations is a material breach of this User Agreement. CCDB requires all researchers re-analyzing these published data via the CCDB access to reference the original published article and the CCDB. An example of an appropriate acknowledgement is provided on the CCDB web site. CCDB is not in a position to police every intended use of these data. The scientific community will self-police the compliance of this contractual obligation.

DISCLAIMER

THE DATA PROVIDED BY THE CCDB ARE FREELY DISTRIBUTED AND WITHOUT CHARGE. THESE DATA ARE PROVIDED BY THE CCDB "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT, TO ANY THIRD PARTY RIGHTS. IN NO EVENT SHALL THE CCDB BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THESE DATA, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

USER NOTIFICATION

For large size image data, it will take several minutes to download, please be patient. Thanks!

ACKNOWLEDGEMENT

Data used from the CCDB should be appropriately referenced, including both the author of the data and the CCDB. If the data were from a published study, the reference is included in the database record. The following reference should be cited for the CCDB:

Martone, M. E., Gupta, A., Wong, M., Qian, X., Sosinsky, G., Ludaescher, B., and Ellisman, M. H. A cell centered database for electron tomographic data. *J. Struct. Biology* 138: 145-155, 2002.

In addition, the support for the Cell Centered Database should be included in the acknowledgement section of any publication: The Cell Centered Database is supported by NIH grants from NCRR RR04050, RR RR08605 and the Human Brain Project DA016602 from the National Institute on Drug Abuse, the National Institute of Biomedical Imaging and Bioengineering and the National Institute of Mental Health, and NSF grants supporting the National Partnership for Advanced Computational Infrastructure NSF-ASC 97-5249 and MCB-9728338.

Maryann Martone